



WHP-1500W Pure Sine Wave Series

YUEQING WEIHAO ELECTRONIC CO.,LTD



Modified Sine Wave Power Inverter

150W、300W、500W、600W、800W、1000W、1200W、1500W 2000W、2500W、3000W、4000W、5000W、6000W

Pure Sine Wave Power Inverter

150W、300W、500W、600W、800W、1000W、1200W、1500W 2000W、2500W、3000W、4000W、5000W、6000W

Modified Sine Wave Inverter with charger

500W、600W、800W、1000W、1500W、2000W、2500W、3000W

Pure Sine Wave Inverter with charger

500W、600W、800W、1000W、1500W、2000W、2500W、3000W

Automatic 3 Stages Battery Charger

1210、1215、1220、1230、1250

KT Series Solar Charge Controller

1205、1210、1215、1220、1230、1240、1250、1260、1280、12100



WHP-1500W

Product description:

This series of inverter is high quality, outputs a good pure sine wave, and can supply for electric tools, inactive loads. It converts car's, boat's and battery's DC12/24/48V to AC 110/220V. And provides Isee than 1500W power for refrigerators, electric machines, outdoor devices, solar energy system etc.

Product feature:

- Pure sine wave output;
- Peak power can carry inductive loads whose start power is

extreme high;

- Output AC is the same with city's electeicity, even better.
- · LED indicator,
- Combine multiple protection function:
 low voltage protection, over voltage protection, overload
 protection, over temperature protection, short circuit
 protection.





Solar, wind energy generation

Save energy, reduce emissions, and use efficiently



Household refrigerators, air conditioner, fan

lead all kinds of loads



Computer and TV, drinking machine

High efficiency and fast start



Induction cooker, rice cooker

High safety performance and strong stability



Power tools, outdoor lighting resistance to friction, squeeze and touch attack



Mobile phone, camera,

\$750 Circuit protection, low/over voltage protection, overload protection

Output Introduction

Led lights

Green: work

Red: fault indicator

Power switch

I: ON

O: OFF

AC output

Socket can be chose 12V/24V/48V to 110V/220V(±10%)

USB output port

DC output 1A/5V

AC OUTPUT

No LED Display



With LED Display

Digital meters can be customized according to users need. Circularly display DC voltage, AC voltage, and power.



Input Introduction

Positive terminal

Connected to battery positive electrode

Intelligent fan

It starts and shuts down intelligently depending on the tempetature and loads, efficient and energy-saving.

DC INPUT




DC INPUT

99.5~99.95% copper and silver contained good in conductivity and high efficiency


Negative terminal

Connected to battery negative electrode





Dimension









Won several national patents

Through the ISO9001

CE certification

The national metrological testing technology certificate





Sales network

Mainly occupied the international market, exported to southeast Asia, Europe, North America, Australia, Middle East and other countries and regions, enjoy a high reputation in the world.

